MATERIAL SAFETY DATA SHEET

MATERIAL SAFETY DATA SHEET		
	PRODUCT INFORMATION	
Product Name:	SOLAR MATE HD8005/80045	
Vendor Name & Address:	HOOD CHEMICAL	
	295 ALLIANCE ROAD #14	
	MILTON ON L9T 4W8	
	905-876-0707	
	TOXICOLOGICAL DATA	
	%W/W CAS No. LD50(Oral Rat) LC50 (Dermal Rabit)	
Propylene Glycol	50 57-55-6 21-33.7 g/Kg 20.8g/Kg	
Inhibitor	12 7758-11-4	
WHMIS Classification:	NOT CONTROLLED PRODUCT UNDER WHMIS REGULATIONS	
TDG Hazard Classification:	NOT REGULATED	
PHYSICAL/CHEMICAL PROPERTIES		
Appearance:	YELLOW	
Odour:	ODOURLESS	
Boiling Point:	370°F 188°C	
Vapour Pressure:	0.22 mmHg @ 20°C	
Vapour Density (Air=1):	2.62	
Solubility in Water:	COMPLETE	
Specific Gravity:	1.0380 (20/20C), 68°F	
	FIRE AND EXPLOSION HAZARD	
Flash Point:	214°F 101°C	
Method Used:	TAG, Closed Cup	
Flammable Limits (% in air)	LFL: 2.3% UFL: 13.7%	
Extinguishing Media:	WATER FOG, ALCOHOL FOAM, CO2, DRY CHEMICAL	
Fire & Explosion Hazards:	NOT AVAILABLE	
Fire Fighting Equipment:	WEAR POSITIVE-PRESSURE, SELF-CONTAINED BREATHING APPARATUS.	
Hazardous Decomposition:	PROPIONALDEHYDE, CARBON MONOXIDE IN THE	
Trazardous Decomposition .	PRESENCE OF LIMITED OXYGEN IN A FIRE SITUATION	
-	REACTIVITY DATA	
Stability:	STABLE UNDER NORMAL STORAGE CONDITIONS	
Incompatibility:	(SPECIFIC MATERIALS TO AVOID) - OXIDZING MATERIAL	
Hazardous Polymerization:	WILL NOT OCCUR	
HEALTH HAZARD DATA		
Eye Contact:	MAY CAUSE SLIGHT TRANSIENT (TEMPORARY) EYE	
•	IRRITATION. CORNEAL INJURY IS UNLIKELY	
Skin Contact:	PROLONGED CONTACT IS ESSENTIALLY NONIRRITATING	
	TO SKIN. REPEATED EXPOSURE MAY CAUSE SLIGHT	
	FLAKING, TENDERNESS, AND SOFTENING OF SKIN.	
Skin Absorption:	A SINGLE PROLONGED EXPOSURE IS NOT LIKELY TO	
	RESULT IN THE MATERIAL BEING ABSORBED THROUGH	
	SKIN IN HARMFUL AMOUNTS THE LD50 FOR SKIN	
	ABSORPTION IN RABBITS IS > 10g/kg.	
Ingestion:	SINGLE DOSE ORAL TOXICITY IS LOW. THE ORAL LD50	
	FOR RATS IS 21-33.7 G/KG. * NO HAZARDS ANTICIPATED	
Tul-sladian.	FROM INGESTION INCIDENTAL TO INDUSTRIAL EXPOSURE.	
Inhalation:	A SINGLE PROLONGED (HOURS) INHALATION EXPOSURE	
	IS NOT LIKELY TO CAUSE ADVERSE EFFECTS. MISTS ARE	
	NOT LIKELY TO BE HAZARDOUS.	

PAGE TWO HD8005/80045

Systemic & Other Effects: REPEATED EXCESSIVE INGESTION MAY CAUSE CENTRAL NERVOUS SYSTEM EFFECTS. DID NOT CAUSE CANCER IN

LONG-TERM ANIMAL STUDIES. BIRTH DEFECTS ARE

UNLIKELY. EXPOSURES HAVING NO ADVERSE EFFECTS ON THE MOTHER SHOULD HAVE NO EFFECT ON THE FETUS. IN ANIMAL STUDIES, HAS BEEN SHOWN NOT TO INTERFERE WITH REPRODUCTION. RESULTS OF IN VITRO ("TEST TUBE") MUTAGENICITY TESTS HAVE BEEN NEGATIVE. RESULTS OF

MUTAGENICITY TEST IN ANIMALS HAVE BEEN NEGATIVE.

PRECAUTION FOR SAFE HANDLING AND USE

Ventilation: GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT

Province of Protection: WHEN APPROPRIES CHIPPED RES AND/OR COME

Respiratory Protection: WHEN AIRBORN EXPOSURE GUIDELINES AND/OR COMFORT

LEVELS MAY BE EXCEEDED, USE AN APPROVED AIR-PURIFYING RESPIRATOR.

Skin Protection: USE IMPERVIOUS GLOVES WHEN PROLONGED OR FREQUENTLY

REPEATED CONTACT COULD OCCUR.

Eye Protection: USE SAFEY GLASSES. WHERE CONTACT WITH LIQUIDS IS

LIKELY, CHEMICAL GOGGLES ARE RECOMMENDED BECAUSE EYE CONTACT WITH THIS MATERIAL MAY CAUSE PAIN, EVEN

THOUGH IT IS UNLIKELY TO CAUSE INJURY.

Action To Take For Spills/Leak:

SMALL SPILLS: COVER WITH ABSORBENT MATERIAL, SOAK UP

AND SWEEP INTO A DRUM LARGE SPILLS: DIKE AROUND SPILL

AND PUMP INTO SUITABLE CONTAINERS.

Disposal Method: REPROCESS OR BURN IN AN APPROVED INCINERATOR IN

ACCORDANCE WITH FEDERAL, PROVINCIAL AND LOCAL

REQUIREMENTS.

EMERGENCY FIRST AID PROCEDURES

Eye: IRRIGATE IMMEDIATELY WITH WATER FOR AT LEAST 5 MINUTES.

Skin: WASH OFF IN FLOWING WATER OR SHOWER

Inhalation: NO ADVERSE EFFECTS ANTICIPATED BY THIS ROUTE OF EXPOSURE Note to Physician: NO SPECIFIC ANTIDOTE. SUPPORTIVE CARE. THREATMENT BASED

ON JUDGMENT OF THE PHYSICIAN IN RESPONSE TO REACTIONS OF

THE PATIENT

PREPARATION INFORMATION

Prepared by: LAB PERSONNEL Date Revised: JANUARY 2016